

INDEX MAPS.

T. 19N, R. 9E. 2nd Mer.

	352		352		352		351		351		351	
355	6	379	5	372	4	368	3	363	2	359	1	350
	378		378		372		367		363		359	
354	7	377	8	372	9	367	10	362	11	358	12	350
	377		376		371		367		362		358	
354	18	376	17	371	16	366	15	362	14	357	13	350
	376		375		370		366		361		357	
354	19	375	20	370	21	365	22	361	23	357	24	349
	374		374		370		365		360		356	
353	30	374	29	369	28	365	27	360	26	356	25	349
	373		373		369		364		360		356	
353	31	373	32	368	33	364	34	359	35	355	36	349
	348		348		348		347		347		347	

T. 20N, R. 9E. 2nd Mer.

	386		386		385		385		385		385	
388	6	409	5	403	4	399	3	396	2	392	1	384
	409		408		403		399		395		392	
387	7	408	8	403	9	399	10	395	11	391	12	384
	408		407		402		398		395		391	
387	18	407	17	402	16	398	15	394	14	390	13	384
	407		406		401		398		394		390	
387	19	406	20	401	21	397	22	394	23	390	24	383
	406		405		401		397		393		389	
387	30	405	29	400	28	397	27	393	26	389	25	383
	404		404		400		396		393		389	
386	31	404	32	400	33	396	34	392	35	388	36	383
	382		382		382		381		381		381	

The figures on the lines refer to the page.

Township 19 North, Range 9 East. 2nd Mer. Indi^a ³⁴⁸

South Boundary.

Var. 6° 00' E.

West on S. Side of Sec. 36-

32.70 a Beech 24 in. dia.

40.00 Set q. Sec. post from which

a Beech 24 in. dia. bears S 55 E 22 W. dist. 8
an Ash 12 " " " S 60 W 18 " "

42.00 a Branch 25 W. wide Corn N.W.

61.25 a Beech 24 in. dia.

80.00 Set post cor. to Secs. 35 & 36 from which

a Sugar 24 in. dia. bears N 31 E 29 W. dist. 8
a Dogwood 8 " " " S 66 W 16 " "

Rich land. Timber Beech. Sugar. Ash
&c. - Ungth Spice.

West on S. Side of Sec. 35-

2.50 a Beech 18 in. dia.

40.00 Set q. Sec. post from which

a Beech 12 in. dia. bears N 8 W 8 W. dist. 8

a Do 10 " " " S 86 E 19 " "

46.72 an Elm 24 " "

80.00 Set post cor. to Secs. 34 & 35 from which

a Beech 24 in. dia. bears S 19 W 20 W. dist. 8

a Do 24 " " " N 11 W 26 " "

Land & Timber same as on the last line.

West on S. Side of Sec. 34-

5.80 a Poplar 24 in. dia.

17.00 a Branch 25 W. wide Corn N.W.

26.00 a Stream 15 " " " N.W.

40.00 Set q. Sec. post from which

a Beech 8 in. dia. bears N 42 W 16 W. dist. 8

a Sugar 8 " " " S 67 E 14 " "

65.00 a Branch 25 W. wide Corn N.W.

68.75 a Beech 12 in. dia.

80.00 Set post cor. to Secs. 33 & 34 from which -

19 N. R. 9 E. 2nd Mer. Indiana

an Oak 24 in. dia. bears S 81 E 39 W. dir. N
 Hickory 12 " " " N 71 W 31 " "
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 33 -

10.35 a Beech 24 in dia.

40.00 Let g. Sec. Post from which
 a Beech 12 in. dia. bears S 11 E 3 W. dir. N
 a Do 8 " " " N 4 E 24 " "

52.38 an Oak 24 " "

53.50 a Branch 10 W. wide Course N.W.

80.00 Let Post Cu. to Sec. 32 & 33 from which
 a Beech 12 in. dia. bears N 48 E 13 W. dir. N
 a Sugar 8 " " " S 88 W 15 " "
 Sand & Timber Same as on the last line.

West on S. Side of Sec. 33

15.50 a Branch 10 W. wide Course N.W.

18.50 a Creek 30 " " " N.W.

19.85 a Poplar 36 in. dia.

40.00 Let g. Sec. Post from which
 a Beech 8 in. dia. bears N 74 E 24 W. dir. N
 a Sugar 10 " " " S 18 E 15 " "

42.00 a Trace.

48.53 a Beech 24 in. dia.

80.00 Let Post Cu. to Sec. 31 & 32 from which
 an Oak 24 in. dia. bears S 40 E 13 W. dir. N
 Hickory 10 " " " N 7 E 18 " "
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 31 -

6.50 a Creek 30 W. wide Course S.W.

10.00 a Branch 10 W. wide Course S.E.

20.46 a Poplar 36 in. dia.

40.00 Let g. Sec. Post from which
 a 30 in. dia. bears N 39 E 13 W. dir. N

349

N. 19 N. - R. 9 E. T^h Mer. Indiana.

a Logwood 8 in. dia. bears S 6 W 16 W. dist.
 84.64 Intersect Range line between Ranges 8 & 9
 East Townships 18 & 19 North 2.78 South
 of Temp. Post & set Post from which
 a Beech 24 in. dia. bears S 2 E 16 W. dist. 8
 an Ash 24 " " " N 33 E 20 " "
 Description of Land & Timber omitted—

East Boundary—
 Var. 6° 15' E.

North on E. Side of Sec. 36—
 18.00 a Beech 24 in. dia.
 40.00 Set q. Sec. Post from which
 a Beech 30 in. dia. bears N 64 W 20 W. dist. 8
 a Do 30 " " " S 32 E 25 " "
 52.00 a Do 24 " "
 80.00 Set Post cor. to Secs. 25 & 36 from which
 a Hickory 24 in. dia. bears N 86 E 6 W. dist. 8
 an Ash 6 " " " S 71 W 31 " "
 Rich land. Timber Beech. Sugar, Ash
 & ring^d Spruce.

North on E. Side of Sec. 25—
 31.75 a Beech 12 in. dia.
 40.00 Set q. Sec. Post from which
 a Beech 12 in. dia. bears N 60 E 15 W. dist. 8
 a Do 36 " " " N 83 W 46 " "
 75.45 a Do 12 " "
 80.00 Set Post cor. to Secs. 24 & 25 from which
 a Beech 10 in. dia. bears N 26 — 4 W. dist. 8
 an Elm 12 " " " S 30 W 19 " "
 Land & Timber same as on the last line—

North on E. Side of Sec. 24—
 25.90 a Beech 24 in. dia.
 40.00 Set q. Sec. Post from which—

19 N. R. G. E. 2nd Mo. Indiana.

at Beech 8 in. dia. was 441 E 25 W. dir. 8
 a Do 8 " " " N 30 W 12 " "
 65.90 a P. plan 48 " "
 69.00 at Branch 15 W. under Corn N. W.
 80.00 Let Post Cu. to Sec. 13 & 14 from which
 at Beech 8 in. dia. was 422 E 12 W. dir. 8
 a Dogwood 8 " " " S 22 W 12 " "
 Sand & Limb Same as in the last line -

North on E. Side of Sec. 13

16.25 at Beech 24 in. dia.
 34.50 at Branch 15 W. under Corn N. W.
 40.00 Let q. Sec. Post from which
 a Sugar 24 in. dia. was 478 E. 28 W. dir. 8
 a Dogwood 6 " " " N 60 W 6 " "
 43.00 a Oak 25 W. under Corn N. W.
 56.62 at Beech 36 in. dia.
 80.00 Let Post Cu. to Sec. 12 & 13 from which
 at Beech 12 in. dia. was 437 N 14 W. dir. 8
 a Do 10 " " " N 37 E 29 " "
 Sand & Limb Same as in the last line -

North on E. Side of Sec. 12

20.00 an Elm 24 in. dia.
 40.00 Let q. Sec. Post from which
 at Beech 18 in. dia. was 484 N 18 W. dir. 8
 a Do 10 " " " S 52 E 20 " "
 49.90 a Do 36 " "
 80.00 Let Post Cu. to Sec. 14 & 13 from which
 at Beech 12 in. dia. was 435 N - W. dir. 8
 a Do 12 " " " N 17 E 41 " "
 Sand & Limb Same as in the last line -

North on E. Side of Sec. 1 -

40.00 Let q. Sec. Post from which
 at Beech 24 in. dia. was 470 N 29 W. dir. 8

352

S. 19 N. - R. 9 E. 2nd Mer. Indiana.

a Beech 24 in. dia. bears S 9 E 43 W. dist.
 61.00 at Branch 10 W. side Comm. N.W.
 66.35 a Poplar 36 in. dia.
 78.90 Set Post Cn. to Townships 19 & 20 North,
 Range 9 & 10 East from which
 a Beech 8 in. dia. bears East 20 W. dist. 8
 a Do 22 " " " N 53 W 14 " "
 Land & Timber same as on the last line.

North Boundary.

Var. 6° 05' E.

West on S. Side of Sec. 36 T. 20 N. - R. 9 E
 16.78 a Beech 18 in. dia.
 18.00 at Brook 10 W. side Comm E.
 40.00 Set q. Sec. Post from which
 a Hornbeam 6 in. dia. bears N 57 E 36 W. dist. 8
 an Ash 14 " " " S 60 W 7 " "
 52.00 an Oak 36 " "
 80.00 Set Post Cn. to Sec. 35 & 36 from which
 a Walnut 13 in. dia. bears S 37 E 9 W. dist. 8
 a Hickory 14 " " " N 65 W 56 " "
 On School land, Timber. Beech. Oak &
 Augth Spruce -

West on S. Side of Sec. 35 T. 20 N. - R. 9 E.
 17.00 a Birch 70 W. side Comm N -
 40.00 Set q. Sec. Post from which
 a W. Oak 30 in. dia. bears S 53 W 25 W. dist. 8
 a Sycamore 8 " " " N 60 E 11 " "
 62.91 a Maple 14 " "
 80.00 Set Post Cn. to Sec. 34 & 35 from which
 a W. Oak 14 in. dia. bears S 81 E 35 W. dist. 8
 a Hickory 10 " " " S 70 W 34 " "
 On School land, Timber Hickory, Oak &

West on S. Side of Sec. 34 T. 20 N. - R. 9 E -

W. 19 N. R. 9 E. T. 2nd Sec. Indiana.

6.93 a W. Oak 15 in. dia.
 40.00 Let q. Sec. Post from which
 a Walnut 10 in. dia. bears N 33 E 13 W. dir. 5
 an Oak 30 " " " S 39 W 16 " "
 62.75 a Do 12 " "
 80.00 Let Post cu. to Sect. 33 & 34 from which
 a Hickory 13 in. dia. bears S 69 E 22 W. dir. 4
 a Do 10 " " " N 39 W 21 " "
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 33 T. 20 N. R. 9 E.
 17.00 a W. Oak 13 in. dia.
 40.00 Let q. Sec. Post from which
 a Hickory 16 in. dia. bears S 46 W 31 W. dir. 5
 a Do 14 " " " N 78 W 67 " "
 44.75 a W. Oak 18 " "
 80.00 Let Post cu. to Sect. 32 & 33 from which
 an Oak 20 in. dia. bears N 10 E 96 W. dir. 4
 a Hickory 15 " " " S 83 E 42 " "
 Sand & Timber Same as on the last line.

West on S. Side of Sec. 32 T. 20 N. R. 9 E.
 8.40 a W. Oak 15 in. dia.
 33.00 a Brook Elm. side Corn St.
 40.00 Let q. Sec. Post from which
 a Hornbeam 9 in. dia. bears N 85 E 40 W. dir. 5
 an Elm 18 " " " S 63 W 25 " "
 56.00 a W. Oak 18 " "
 62.00 a Brook 20 W. side Corn St.
 80.00 Let Post cu. to Sect. 31 & 32 from which
 a W. Oak 12 in. dia. bears S 78 E 57 W. dir. 5
 a Do 14 " " " S 71 W 37 " "
 Sand & Timber Same as on the last line -

West on S. Side of Sec. 31 T. 20 N. R. 9 E.
 40.00 Let q. Sec. Post from which

353

T. 19 N. R. 9 E. 2nd Mer. Indiana.

- a Hickory 13 in. dia. bears S 79 E 20 W. dir. X
 a W. Oak 12 " " " N 32 W 27 " "
 48.37 Intersect Left bank of White River & set Post.
 a Locust 12 in. dia. bears S 10 E 13 W. dir. X
 an Oak 7 " " " N 61 W 5 " "
 51.39 on River & set Post on Right bank from which
 a Willow 12 in. dia. bears S 60 E 6 W. dir. X
 an Elm 11 " " " N 40 E 6 " "
 83.75 Intersect Range line H 26 W. S. of Temp.
 Post where Set Post Co. to Townships
 20 & 19 North. Ranges 8 & 9 East. from which
 an Oak 36 in. dia. bears N 15 W 15 W. dir. X
 a Beech 14 " " " S 12 E 15 " "
 on rolling land. Timber Oak, Beech &c
 November 19th 18 19 -

West Boundary.

- Var. 6° 10' E -
- North on E. Side of Sec. 36 T. 19 N. R. 8 E -
 35.90 a Beech 12 in. dia.
 40.00 Set g. Sec. Post from which
 a Sugar 24 in. dia. bears S 10 W 21 W. dir. X
 a Do 24 " " " S 10 E - " "
 80.00 Set Post co. to Sec. 25 & 36 from which
 a Beech 24 in. dia. bears S 17 E 44 W. dir. X
 a Do 10 " " " S 84 W 19 " "
 Rich land, Timber Beech, Sugar, Ash,
 Hackberry & ungth Spruce.
 North on E. Side of Sec. 25 T. 19 N. R. 8 E -
 35.84 a Poplar 72 in. dia.
 40.00 Set g. Sec. Post from which
 a Beech 12 in. dia. bears N 36 W 19 W. dir. X
 a Do 12 " " " S 94 E 45 " "
 52.50 a Road -
 80.00 Set Post co. to Sec. 24 & 25 from which -

T. 19 N. R. 9 E. 3rd M. Indiana.

a Beech 10 in. dia. bears S 69 W 19 W. dir. S
 a No 8 " " " N 9 E 12 " "
 Rich land. Timber as above

North on E. Side of Sec. 24 T. 19 N. R. 8 E.

4.50 a Branch 10 in. wide Corn N W.
 33.00 a Beech 35 " " " N W.
 34.50 an Elm 12 in. dia.
 40.00 Set g. Sec. post from which
 an Elm 6 in. dia. bears S 34 W 19 W. dir. S
 a No 6 " " " N 34 E 7 " "
 72.04 an Oak 24 " "
 80.00 Set post cor. to Sec. 13 & 24 from which
 a Hickory 12 in. dia. bears S 33 W 7 W. dir. S
 an Elm 36 " " " S 32 E 11 " "
 Land & Timber same as on the last line.

North on E. Side of Sec. 13 T. 19 N. R. 8 E.

57.56 a Beech 12 in. dia.
 40.00 Set g. Sec. post from which
 a Beech 24 in. dia. bears N 8 E 43 W. dir. N
 a cherry 12 " " " S 1 W 34 " "
 80.00 Set post cor. to Sec. 12 & 13 from which
 a Beech 12 in. dia. bears S 50 E 45 W. dir. S
 a No " " " N 7 W 41 " "
 Land & Timber same as on the last line.

North on E. Side of Sec. 12 T. 19 N. R. 8 E.

11.80 an Elm 12 in. dia.
 40.00 Set g. Sec. post from which
 a Hickory 16 in. dia. bears S 19 W 29 W. dir. N
 a No 24 " " " N 3 E 41 " "
 55.18 a W. Oak 14 " "
 80.00 Set post cor. to Sec. 14 & 12 from which
 an Elm 7 in. dia. bears S 73 W 26 W. dir. S
 a W. Oak 10 " " " N 54 E 16 " "

356

T. 19 N. R. 9 E. 2nd Mer. Indiana.

Land & Timber Same as in the last line -

North on E. Side of Sec. 1 T. 19 N. R. 8 E -
 26.60 a W Oak 30 in. dia.
 27.00 To a Road
 40.00 Set q. Sec. Post from which
 a Sugar 8 in. dia. bears N 23 E 10 W. dist.
 a Walnut 30 " " " S 77 W 20 " "
 51.73 a Buckeye 14 " "
 54.03 Enter & Left bank of White River &
 Set a Post from which
 an Elm 18 in. diam. bears N 6 W 8 W. dist.
 an Oak 8 " " " S 46 E 8 " "
 57.62 on River & set Post on Right bank p. which
 a Hackberry 8 in. dia. bears N 9 W 20 W. dist.
 a Buckeye 10 " " " S 44 W 17 " "
 78.74 To Corner of Towns 19 & 20 N. Ranges 8 & 9 E -
 an Oak 36 in. dia. bears N 5 W 15 W. dist.
 a Buck 14 " " " S 12 E 15 " "
 Description of Land & Timber within -
 Surveyed in 1819 by
 John McDonald
 Dep. Surveyor

Subdivisions

North Between Secs. 35 & 36 -
 20.40 a Poplar 40 in. dia.
 26.04 a Beech 24 " "
 40.00 Set q. Sec. Post from which
 a Beech 9 in. dia. bears S 10 W 37 W. dist.
 a Hickory 4 " " " S 44 W 9 " "
 60.44 a Beech 14 " "
 80.00 Set Post cor. to Secs. 25, 26, 35 & 36 from which
 a Beech 18 in. dia. bears S 86 W 17 W. dist.
 a Poplar 15 " " " S 75 E 8 " "

J. 19 N. R. 9 E. T² M. Indiana -

Land T² rate. Timber Buck. Ash. Sugar. Elm &
ungth Ironwood. Spruce &

East and Random between Locs. 25 & 36 -

11.86 a Stream 23 Mi. wide Corn N.

40.00 Set temp. q. Loc. Post.

79.86 Intersect E. Bound. line 24 Mi. S. of Post.

Land lent T² rate. Timber Buck. Elm. Sugar.
Oak & ungth Ironwood. Spruce &

West Corner between Locs. 25 & 36 -

39.93 Set q. Loc. Post at a mag. dist. from which
a Buck 9 in. dia. was S 15 E 8 Mi. dist. &
a Do 9 " " " N 20 W 15 " "

79.86 To Loc. Corner.

North between Locs. 25 & 36 -

8.00 Enter a Swamp.

13.00 Leave the "

14.50 a Stream 32 Mi. wide Corn N.W.

27.04 a Buck 30 in. dia.

40.00 Set q. Loc. Post from which

a Buck 6 in. dia. was S 12 W 45 Mi. dist. &

an Ironwood 4 " " " N 39 E 16 " "

53.34 a W. Oak 48 " "

61.57 a Sugar 16 " "

80.00 Set Post on. to Locs. 23, 24, 25 & 26 from which

a Buck 15 in. dia. was S 45 E 22 Mi. dist. &

a Do 11 " " " N 27 W 17 " "

Land & Timber as last described

June 2nd 1821

East and Random between Locs. 34 & 35 -

40.00 Set temp. q. Loc. Post.

79.96 Intersect E. Bound. line 60 Mi. S. of Post.

Land & Timber as last described

358

T. 19 N. R. 9 E. 2nd Mer. Indiana.

West Corner Section Secs. 24 & 25 -
 39.98 Let gp. Sec. Post at average dir. from which
 a Birch 4 in. dia. bears S 89 E 27 W. dir. 8
 a Birch 14 " " " N 71 W 25 " "
 79.96 To Sec. Corner.

North Return Section Secs. 23 & 24 -
 28.28 a Sugar 26 in. dia.
 36.61 a B. Ash 24 " "
 46.00 Let gp. Sec. Post from which
 a Birch 12 in. dia. bears S 2 E 34 W. dir. 8
 a B. Ash 4 " " " N 7 W 12 " "
 46.53 a Birch 16 " "
 50.46 a Branch 10 W. side Corner S.W. -
 57.57 a Do 15 " " " N.E.
 53.25 a Do 11 " " " N.W.
 62.46 a Birch 20 in. dia.
 80.00 Let Post cu. to Secs. 13, 14, 23 & 24 fr. which
 a B. Ash 6 in. dia. bears S 14 W 47 W. dir. 8
 a Sugar 30 " " " N 6 W 76 " "
 Sand & Timber as last described

East or Random Return Section Secs. 13 & 24 -
 46.00 Let temp. gp. Sec. Post -
 71.30 a Stream 9 W. side Corner S.W.
 80.04 Intersect E. Bound. line 10 W. S. of Post
 Sand & Timber as last described

West Corner Section Secs. 13 & 24 -
 46.02 Let gp. Sec. Post at average dir. from which
 a Poplar 56 in. dia. bears N 79 E 33 W. dir. 8
 a Birch 16 " " " S 60 W 20 " "
 80.04 To Sec. Corner.

North Return Section Secs. 13 & 14
 18.07 a Birch 18 in. dia.

C. H. N. R. G. E. 2nd Mer. Indiana.

- 36.57 an Ash 27 in. dia.
 40.00 Set q. Sec. Post from which
 an Elm 4 in. dia. bears S 50 E 16 W. dist. 9
 a W. Oak 5 " " " N 40 W 18 " "
 61.73 a Poplar 19 " " (B. tree)
 72.37 a Beech 26 " "
 80.00 Set Post cu. to Secs. 11, 12, 13 & 14 from which
 a Beech 21 in. dia. bears S 37 W 8 W. dist. 9
 a Do 24 " " " N 30 E 50 " "
 Land level & rich. Timber Poplar, ash, Sugar,
 Beech & ung^d. Buckeye, Hamwood & Spruce,

- East on Random Return Secs. 12 & 13 -
 30.17 a Stream 32 W. side Corner N. W.
 40.00 Set temp. q. Sec. Post
 79.95 Intersect E. Bound. line 37 W. N. of post.
 Land & Timber as last described -

- West Corner Return Secs. 12 & 13
 39.97½ Set q. Sec. Post at angle dist. from which
 a Logwood 4 in. dia. bears N 89 E 19 W. dist. 9
 a Beech 17 " " " S 80 W 37 " "
 79.95 To Sec. Corner.

- North Return Secs. 11 & 12
 15.68 a Stream 32 W. side Corner E. W.
 25.17 a Beech 24 in. dia.
 40.00 Set q. Sec. Post from which
 a Beech 15 in. dia. bears S 54 E 10 W. dist. 9
 a Do 20 " " " N 74 W 34 " "
 55.00 Enter a Swampy Prairie
 75.00 Leave the Do Do
 78.71 an Elm 10 in. dia.
 80.00 Set Post cu. to Secs. 12, 11 & 12 from which
 a W. Oak 28 in. dia. bears S 34 W 9 W. dist. 9
 a Hickory 20 " " " N 65 E 3 " "

Timberland as last described

East in Random between Secs. 1 & 12 -

3.50 Enter a Swamp.
10.00 Leave the Do
40.00 Set temp. of Sec. Post.
80.06 Intersect E. Bound. line 26 W. S. of post.
Land rich. Close thick woods. Prickly
ash. Ironwood, Spruce &c

West Corner between Secs. 1 & 12

40.03 Set q. Sec. Post at a mag dist. from which
a Beech 18 in. dia. bears N 87° E 45 W. dir. &
a Sugar 18 " " " N 67° W 19 " "
80.06 To Sec. Corner.

North between Secs. 1 & 12 -

26.14 a W. Oak 30 in. dia.
33.36 a R. Oak 26 " "
40.00 Set q. Sec. Post from which
a Dogwood 4 in. dia. bears South 54 W. dir. &
a W. Oak 20 " " " N 32° E 6 " "
57.97 a Beech 24 " "
70.46 a Do 16 " "
78.60 Intersect N. Bound. line 42 W. N. of Post.
when set Post on. to Secs. 1 & 12 from which
a R. Oak 20 in. dia. bears S 43° W 15 W. dir. &
a Hickory 18 " " " N 22° W 23 " "
Land low 2nd rate. B & W. Oak &c (ungr.)
P. ash. Ironwood, Spruce &c
June 3rd 1821 -

North between Secs. 34 & 35 -

20.49 a Beech 16 in. dia.
24.72 a B. ash 36 " "
40.00 Set q. Sec. Post from which -

W. H. P. G. E. 2nd Mer. Indiana.

an Ironwood 4 in. dia. bears S 5 W. 40 W. dist.
 a Sugar 36 " " " N 26 E 15 " "
 53.70 at Branch 10 W. wide course N. W.
 67.52 an Elm 30 in. dia.
 80.00 Set post on to Sec. 26, 27, 34 & 35 from which
 a Beech 12 in. dia. bears N 2 E 38 W. dist. 8
 an Ash 20 " " " S 5 W 28 " "
 Sand lent 2nd rate. Timber Oak. Sugar,
 Beech & Hickory. Ungth Oak Ironwood & Spice.

East on Random between Sec. 26 & 35 -
 40.00 Set temp. gr. Sec. post.
 80.06 Intersect. M. line 16 W. S. of post.
 Sand lent 2nd rate Timber Beech. Ash. Sugar.
 &c. Ungth Ironwood & Spice.

West corner between Sec. 26 & 35 -
 40.03 Set gr. Sec. post at a mag. dist. from which
 a Beech 24 in. dia. bears S 6 E 18 W. dist. 8
 a Do 10 " " " S 89 W 41 " "
 80.06 To Sec. Corner.

North between Sec. 26 & 27 -
 12.08 at R. Co. B 48 in. dia.
 16.24 a Stream 13 W. wide course N. W.
 40.00 Set gr. Sec. post from which
 a Beech 4 in. dia. bears S 14 W 22 W. dist. 8
 a Do 6 " " " N 3 W 41 " "
 53.42 a W. Oak 20 " "
 63.24 a Sugar 18 " "
 80.00 Set post on to Sec. 22, 23, 26 & 27 from which
 a Beech 16 in. dia. bears S 21 E 26 W. dist. 8
 a Sugar 36 " " " S 73 W 2 " "
 Sand & Timber same as last described.

East on Random between Sec. 23 & 26 -

361

Ch 19 N. R. 9 E. 9th Mer. Indiana.

5.87 a Stream 23 W. side Crown N.W.
 20.00 a Do 39 " " " S.W.
 29.35 a Do 15 " " " N.W.
 40.00 Let temp. g. Sec. Post-
 80.00 Intersect N. line 7 W. N. of Post-
 Land & Timber as last described

West Corner between Secs. 23 & 26-
 40.00 Let g. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 65 E 28 W. dist. 8
 a Sugar 30 " " " S 87 W 26 " "
 80.00 To Sec. Corner.

North Between Secs. 22 & 23-

9.86 a Stream 22 W. side Crown N.W.
 20.33 a Do 38 " " " N.W.
 38.76 a Do 8 " " " W.
 40.00 Let g. Sec. post from which
 a Beech 14 in. dia. bears S 16 W 38 W. dist. 8
 a Dogwood 6 " " " N 21 E 14 " "
 48.35 an Ash 33 " "
 80.00 Let Post Cn. to Secs. 14, 15, 22 & 23 from which
 a Hackberry 15 in. dia. bears South 18 W. dist. 8
 a N. Ash 14 " " " N 3 E 32 " "
 Land cont. Timber Oak, Elm, Ash, Beech,
 Sugar & ring^d Ironwood & Spice.

East or Random between Secs. 14 & 23-

34.85 at Branch 15 W. side Crown N.W.
 40.00 Let temp. g. Sec. Post-
 80.00 Intersect N. line 50 W. N. of Post-
 Land 2^d rate. Timber Beech, Ash, Sugar,
 Hickory & ring^d Ash & Spice.

West Corner between Secs. 14 & 23-

40.00 Let g. Sec. Post at average dist. from which

T. 19 N. R. 9 E. 2nd Mer. Indiana

at Beech 18 in. dia. bears N 80 E 45 W. dist. 8
 a Dogwood 7 " " " N 82 W 5 " "
 80.00 To Sec. Corner.

North Betwixt Secs. 14 & 15 -

8.00 at Branch 8 W. into Corner S. W.
 7.00 Enter a Swamp prairie
 7.50 at B. ash 14 in. dia.
 33.50 Leave the Swamp.
 39.60 at B. Oak 40 in. dia.
 40.00 Set gp. Sec. post from which
 at B. Oak 40 in. dia. bears South 36 W. dist. 8
 at Buckeye 10 " " " N 21 W 21 " "
 53.92 at W. Oak 15 " "
 66.50 a Stream 50 W. into Corner W.
 67.59 at W. Oak 18 in. dia.
 80.00 Set post cor. to Secs. 10, 11, 14 & 15 fr. which
 at W. Oak 12 in. dia. bears S 28 E 18 W. dist. 8
 a Dogwood " " " N 34 W 6 " "
 Timberland, Oak, ash, Beech, Dogwood &c

East in Random betwixt Secs. 11 & 14 -

22.56 a Stream 25 W. into Corner S.
 40.00 Set temp. gp. Sec. post
 80.25 Enter a M. line 50 W. N. of post
 Land low & rich, Timber Elm, Sugar, Beech &c
 ungth Ironwood, Ash, & Spruce.

West corner betwixt Secs. 11 & 14 -

40.12 $\frac{1}{2}$ Set gp. Sec. post at average dist. from which
 at B. ash 15 in. dia. bears N 86 E 13 W. dist. 8
 at S. ash 13 " " " S 64 W 22 " "
 80.15 To Sec. Corner.

North Betwixt Secs. 10 & 11

20.75 at W. Oak 18 in. dia.

27.50 An Elm 16 in. dia.
 31.50 Enter a Prairie
 33.50 a Stream 30 W. wide corner S. E.
 40.00 Set q. Sec. Post in Prairie no bearings
 48.50 Leave the Prairie
 59.38 a W. Oak 15 in. dia.
 76.18 a Buck Oak 9 in. dia.
 77.00 Enter a Swamp.
 80.00 Set Post on to Secs. 2, 3, 10 & 11 from which
 a Willow 8 in. dia. bears S 16 W 45 W. dist. 8
 a Do 10 " " " N 34 W 29 " "
 Timber land, W. Oak, Prairie wet.
 June 4th 1821.

East on Random between Secs. 2 & 11 -

8.00 Leave the Swamp
 26.50 Enter wet prairie
 37.00 Leave " "
 37.00 a Stream 50 W. wide corner N. E.
 40.00 Set temp. q. Sec. Post.
 80.00 Intersect N. S. line 82 W. N. of Post -
 Land & Timber as last described

West corner between Secs. 2 & 11 -

40.00 Set q. Sec. Post at average dist. from which
 a Dogwood 3 in. dia. bears N 75 E 4 W. dist. 8
 a W. Oak 12 " " " N 76 W 2 " "
 80.00 To Sec. Corner.

North between Secs. 2 & 3 -

3.50 Leave the Swamp.
 13.50 Enter Swamp prairie
 20.00 Leave " "
 21.96 a W. Oak 14 in. dia.
 40.00 Set q. Sec. Post from which
 a Bur Oak 17 in. dia. bears S 20 E 31 W. dist. 8

19 N. - R. G. E. 2nd Mer. Indiana.

at Oak 4 in. dia. bears N 44 W 33 W. dist.
 57.10 at Hickory 12 " "
 64.76 at Do 18 " "
 77.32 Intersect M. Road. line 79 W. N. of post-
 where set post on. to Sec. 2 & 3 from which
 a Dogwood 4 in. dia. bears S 12 W 28 W. dist. 8
 a Hickory 6 " " " N 16 E 44 " "
 Sand thin. Timber Hickory & Oak. Open woods.

North Between Secs. 33 & 34

13.34 at Hickory 18 in. dia.
 32.00 at Poplar 20 " "
 40.00 Set g. Sec. Post from which
 a Sugar 20 in. dia. bears S 25 E 14 W. dist. 9
 an Ironwood 5 " " " N 25 E 8 " "
 55.76 at Beech 34 " "
 80.00 Set post on. to Secs. 27, 28, 33 & 34 from which
 a Hickory 4 in. dia. bears S 39 W 34 W. dist. 8
 a B. Ash 18 " " " N 37 E 22 " "
 Sand lent & rich. Timber Ash. Beech. Sugar.
 Oak & ung^d. Spruce & Ironwood.

East on Random between Secs. 27 & 34

7.50 a Stream 24 W. wide corner M.
 40.00 Set temp g. Sec. Post
 63.00 a Stream 15 W. wide corner M.
 63.80 a Do 9 " " " M.
 66.59 Do 9 " " " S. M.
 69.00 Enter a Swamp
 74.50 Leave the "
 80.24 Intersect M. S. line 53 W. N. of Post-
 Sand rich. Timber Buckeye, Ash. Sugar,
 Elm & ung^d. Ash, Ironwood & Spruce.

West corner between Secs. 27 & 34

40.12 Set g. Sec. Post at angle dist. from which

365

No 19. N. R. G. E. 2nd Mer. Indiana.

a Hickory 8 in. dia. bears N 88 E 12 W. dir. &
a B. Ash 18 " " " N 38 W 2 " "
80.24 To Sec. Corner.

North Return Secs. 27 & 28.

11.18 a Hickory 24 in. dia.
16.50 Enter a Prairie
20.00 a Stream 12 W. wide Corn W.
33.35 a Do 17 " " " W.
35.50 Leave the Prairie
40.00 Set q. Sec. Post from which
a Logwood 4 in. dia. bears S 72 E 5 W. dir. &
a R. Oak 24 " " " N 32 W 24 " "
80.00 Set Post cor. to Secs. 21. 22. 27 & 28 from which
an Elm 10 in. dia. bears N 88 E 22 W. dir. &
a Do 10 " " " N 63 W 50 " "
Timberland as last described

East or Random Return Secs. 22 & 27

6.00 Enter Swamp prairie (Willows)
22.50 Leave " "
40.00 Set temp. q. Sec. Post.
56.60 a Stream 14 W. wide Corn S. E.
59.56 a Do 13 W. wide " N. W.
59.23 a Do 12 " " " S.
60.50 Do 13 " " " N. W.
80.30 Intersect Mt. line S 9 W. N. of Post—
Land & Timber as last described

West Corner Return Secs. 22 & 27.

40.15 Set q. Sec. Post at average dist. from which
a B. Ash 10 in. dia. bears S 9 E 16 W. dir. &
an Elm 8 " " " N 56 W 27 " "
80.30 To Sec. Corner.

North Return Secs. 21 & 22

M. G. N. - R. G. E. J. - Mr. Indiana

16.52 a W. Oak 54 in. dia.
 38.26 an Elm 18 " "
 40.00 Set q. Sec. post from which
 an Elm 12 in. dia. bears S 26 W 37 m. dir. &
 a Hickory 14 " " " N 9 W 38 " "
 65.46 a B. Oak 20 " "
 70.49 a Buckeye 10 " "
 80.00 Set post cut to Secs. 15, 16, 21 & 22 from which
 a Hickory 10 in. dia. bears South 63 W. dir. &
 a W. Oak 12 " " " N 6 W 53 " "
 Land cont. Timber Oak, Elm, Hickory No
 Open woods.

East in Random between Secs. 15 & 22
 31.00 a Stream 16 W. side corner N.
 40.00 Set trap. q. Sec. post.
 68.00 Enter a Swamp, prairie
 78.00 Leave the " "
 80.34 Enter sec. N. line H 7 W. N. of Post -
 Timber land, Oak, Ash, Beech, Ironwood, Spruce.

West corner between Secs. 15 & 22
 40.17 Set q. Sec. post at same dir. from which
 a Walnut 9 in. dia. bears S 87 E 14 W. dir. &
 an Ironwood 3 " " " N 73 W 7 " "
 80.34 To Sec. Corner June 5th 1821.

North between Secs. 15 & 16.

23.48 a W. Oak 30 in. dia.
 40.00 Set q. Sec. post from which
 a W. Oak 7 in. dia. bears S 10 E 23 W. dir. &
 a Do 7 " " " N 6 E 16 " "
 57.35 a W. Oak 22 " "
 76.73 a Do 24 " "
 80.00 Set post cut to Secs. 9, 10, 15 & 16 from which
 a W. Oak 36 in. dia. bears S 19 W 27 W. dir. &

367

19 N. R. 9 E. 1st 1/2 Mi. Indiana

a B. Oak 36 in. dia. bears N 7 E 56 W dir.
Land thin. Timber Oak & Hickory. Open woods.

East on Random between Secs 10 & 15-

22.00 Enter a Wet Prairie

31.50 Leave the Do

40.00 Set Temp. ga. Sec. Post-

59.00 Enter a Prairie

66.31 a Stream 17 W. wide corner N.

70.25 Leave the Prairie

80.35 Intersect N. line 69 W. N. of Post-

Land thin. Timber Oak & Hickory. Open woods

West corner between Secs 10 & 15-

40.17 1/2 Set ga. Sec. Post at average dist. from which

a B. Oak 36 in. dia. bears N 5 E 11 W. dir. &

a W. Oak 21 " " " S 75 N 63 " "

80.35 To Sec. Corner.

North Return Secs 9 & 10-

21.93 a W. Oak 33 in. dia.

31.00 Enter a Prairie

39.00 Leave the "

40.00 Set ga. Sec. Post from which

a B. Oak 9 in. dia. bears S 1 W 39 W. dir. &

a W. Oak 12 " " " N 8 E 60 " "

48.67 a Do 18 " "

69.45 a Do 30 " "

80.00 Set Post Cn. to Secs 34, 9 & 10 from which

a Cassiafras 5 in. dia. bears S 40 E 31 W. dir. &

a W. Oak 15 " " " N 10 W 66 " "

Land level. Timber Hickory & Oak. ungr. Soggy &

East on Random between Secs 3 & 10-

29.00 Enter a wet Prairie

30.50 Leave the Do

S. 19 N. R. 9 E. 9th Mer. Indiana

40.00 Set temp. ga. Sec. post
 61.50 Enter a Swamp prairie
 71.00 Leave the Do
 77.00 Enter a Swamp -
 80.30 Intersect M. line 81 M. N. of Post -
 Land as last described.

West corner between Secs. 3 & 10 -
 40.15 Set ga. Sec. post at a map dist. from which
 a W. Oak 24 in. dia. bears N 33 E 9 W. dist. 8
 a Do 18 " " " S 55 W 15 " "
 80.30 To Sec. Corner.

North Between Secs. 3 & 44
 10.54 a W. Oak 30 in. dia.
 20.17 a Do 30 " "
 40.00 Set ga. Sec. post from which
 a W. Oak 36 in. dia. bears S 8 E 49 W. dist. 8
 a Bur Oak 30 " " " N 11 W 23 " "
 58.02 a W. Oak 24 " "
 63.89 a Do 15 " "
 75.53 Intersect N. Bound. line 2.29 N of Post -
 where Set Post ea. to Secs. 3 & 44 from which
 a Hickory 10 in. dia. bears S 86 W 22 W. dist. 8
 a W. Oak 24 " " " S 14 W 58 " "
 Land here & thence thence Hickory & Oak -
 Open woods.

North Between Secs. 32 & 33 -
 9.25 a B. Ash 14 in. dia.
 28.38 a Beech 10 " "
 40.00 Set ga. Sec. post from which
 a Walnut 14 in. dia. bears S 2 E 25 W. dist. 8
 a Buckeye 14 " " " N 44 W 44 " "
 66.47 a Stream 34 W. in. dia. Cross M.
 72.00 a W. Oak 30 in. dia.

369

W. 19 N. - R. 9 E. 2nd Mu. Indiana.

80.00 Set post on to Secs. 28, 29, 32 & 33 from which
 a Hickory 20 in. dia. bears S 97 W 8 W. dir. 1)
 a Sugar 15 " " " N 1 E 29 " "
 Sand rich, Timber Beech-Elm. Sugar & y
 ungth Ironwood & Spruce.
 June 6th 1821.

East m^t Random between Secs. 28 & 33 -
 10.50 Enter a Swamp
 10.63 a Spring from S. E.
 20.00 Leave the Swamp.
 26.05 a Stream 25 W. side from S.
 29.88 Do 26 " " " N. W.
 31.94 a Do 15 " " " S. W.
 39.50 Enter a Swamp
 40.00 Set temp. g^r. Sec. post -
 63.50 Leave the Swamp
 80.90 Enter m^t. line 65 W. of post
 Land swampy & full of thickets

West corner between Secs. 28 & 33 -
 40.45 Set g. Sec. post at a large distance.
 No bearing trees.
 80.90 To Sec. corner.

North T between Secs. 28 & 29 -
 14.90 a Walnut 30 in. dia.
 31.02 a Hickory 36 " "
 40.00 Set g. Sec. post from which
 a Dogwood 5 in. dia. bears S 54 W 27 W. dir. 1)
 a Hickory 12 " " " North 34 " "
 48.79 a W. Oak 42 " "
 58.83 a Beech 34 " "
 80.00 Set post on to Secs. 30, 21, 28 & 29 p. which
 a Hickory 9 in. dia. bears S 11 W 26 W. dir. 1)
 a Do 6 " " " N 36 W 7 " "

Sec. 19 N. - R. 9 E. T^h 2nd Mu. Indiana

Land cont. 2nd rate. Timber Oak. Elm &
Hickory. ungth. Ironwood. Ash & Spruce.

East on Random between Secs. 21 & 28 -

40.00 Set temp. g. Sec. Post.

56.00 Enter a Prairie

63.50 Leave the do

80.00 Intersect M. line 10th. N. of Post.

Land cont. 2nd rate. Timber Oak. & Hickory
ungth. Ironwood & Spruce.

West Corner between Secs. 21 & 28

40.00 Set g. Sec. Post at average dir. from which
a W. Oak 9 in. dia. bears N 86 E 17 W. dist.
Hickory 12 " " " S 78 W 24 " "

80.00 To Sec. Corner.

North between Secs. 20 & 21 -

12.13 an Elm 15 in. dia.

33.06 a B. Ash 10 " "

40.00 Set g. Sec. Post from which

a Sugar 24 in. dia. bears S 24 E 35 W. dist.
a Thorny bush 4 " " " N 20 W 24 " "

60.80 a Gumtree 30 " "

75.79 a Sugar 18 " "

80.00 Set Post co. to Secs. 16, 17, 20, & 21 from which

a Hickory 12 in. dia. bears S 28 E 41 W. dist.

a B. Ash 10 " " " N 35 W 36 " "

Land & Timber as last described.

East on Random between Secs. 16 & 21 -

40.00 Set temp. g. Sec. Post.

80.10 Intersect M. line 50th. N. of Post.

Land rich & level. Timber Walnuts. Elm,
Ash, Oak & ungth. Spruce & Ash

371

S. 19. N. R. 9 E. 2nd Mer. Indiana.

West Corner between Secs. 16 & 21-

- 40.05 Set gp. Sec. Post at average dist. from which
a Honeylocust 36 in. dia. bears S 84 E 53 W. dist. 18
a Hickory 5 " " " S 40 W 16 " "
80.10 To Sec. Corner

North between Secs. 16 & 17-

- 19.26 a W. Oak 33 in. dia.
34.37 a Do 18 " "
40.00 Set gp. Sec. Post from which
a Dogwood 6 in. dia. bears S 2 E 52 W. dist. 18
a W. Oak 5 " " " S 68 E 5 " "
50.50 Enter a Swamp.
62.00 Leave the "
77.07 a W. Ash 18 in. dia.
80.00 Set Post cor. to Secs. 8, 9, 16 & 17 from which
a Hickory in. dia. bears S 19 W 36 W. dist. 18
a Bush 24 " " " S 19 E 11 " "
Land thin, timber Hickory & Oak, ungth
Dogwood & Ironwood.

East on Random between Secs. 9 & 16-

- 19.00 Enter a Prairie
33.50 Leave the Do
40.00 Set temp. gp. Sec. Post.
50.00 Enter a Swamp Prairie
62.00 Leave the " "
80.14 Intersect M.S. line 23 W. N. of Post
Land thin, timber Oak & Hickory, ungth
Dogwood & Oak.

West Corner between Secs. 9 & 16-

- 40.07 Set gp. Sec. Post at average dist. from which
a Hickory 36 in. dia. bears N 76 E 45 W. dist. 18
a W. Oak 18 " " " S 71 W 27 " "
80.14 To Sec. Corner.

19 N. R. 9 E. 2nd Mer Indiana.

North Between Secs 8 & 9 -

25.39 a W. Oak 30 in. dia.

40.00 Set q. Sec. Post from which
a W. Oak 8 in. dia. bears S 3 N 39 W. dist. 4
a Do 20 " " " N 33 W 38 " "

45.00 Enter a Prairie

56.50 Leave the "

77.50 a W. Oak 30 in. dia.

80.00 Set Post co. to Secs 4, 5, 8 & 9 from which
a W. Oak 30 in. dia. bears S 1 E 37 W. dist. 4
a Hickory 20 " " " N 7 W 25 " "
Sand bar & thin. Timber Hickory, W. B. Oak,
sugar, Dogwood & Sassafras -

East on Random between Secs 4 & 9 -

33.00 Enter a Wet Prairie

40.00 Set temp. q. Sec. Post -

49.00 Leave the Prairie

79.98 Intersect M. line 64 W. N. of Post -
Sand & Timber as last described

West Corner between Secs 4 & 9 -

39.99 Set q. Sec. Post or range distance.

No bearing trees -

79.98 To Sec. Corner.

North Between Secs 4 & 5

26.26 a W. Oak 30 in. dia.

40.00 Set q. Sec. Post from which
a Hickory 10 in. dia. bears S 7 E 19 W. dist. 4
a W. Oak 48 " " " N 19 W 34 " "

69.90 a Do 18 " "

75.08 Intersect R. line 2.94 W. of Post -
where set Post co. to Secs 4 & 5 from which
a Hickory 10 in. dia. bears S 1 E 25 W. dist. 4
a Do 4 " " " N 5 E 28 " "

373

W. 19 N. R. 9 E. 2nd Mer. Indiana.

Sand & Timber as last described
June 7th 1821-

North Between Sects. 31 & 32

7.38 a Stream 35 W. side Corn. W.

28.90 a Sugar 30 in. dia.

35.92 a Beech 12 " "

40.00 Set g. Sec. Post from which

a Beech 10 in. dia. bears S 17 E 29 W. dir. N

a Do 12 " " " N 18 E 8 " "

67.92 a Walnut 15 " "

76.96 a Hickory 15 " "

80.00 Set Post cor. to Sects. 29, 30, 31 & 32, from which

a W. Oak 40 in. dia. bears S 17 E 15 W. dir. N

a Hickory 24 " " " N 32 W 29 " "

Sand low, Timber Elm, Beech, Oak &

ringth Ash, Spruce, Hickory &c

East on Random between Sects. 29 & 32-

40.00 Set temp. g. Sec. Post.

80.10 Entrance W. line 68 W. N. of Post.

Sand rolling, Timber Hickory & Oak

ringth Hardwood & Spruce

West Corner between Sects. 29 & 32-

40.05 Set g. Sec. Post at angle dir. from which

a Hickory 9 in. dia. bears N 73 E 18 W. dir. N

a Do 12 " " " N 86 W 28 " "

80.10 To Sec. Corn.

West Between Sects. 30 & 31

12.86 a B. Ash 10 in. dia.

23.56 a B. Oak 30 " "

40.00 Set g. Sec. Post from which

a Dogwood 4 in. dia. bears N 83 E 17 W. dir. N

a B. Oak 36 " " " S 75 W 25 " "

S. 19 N. - R. 9 E. T² Mu. Indiana

54.60 at Beech 18 in. dia.
 72.61 a Sugar 35 " "
 84.50 Distance N. Bound line 106 W. S. of post
 when set post on. to Sec. 30 & 31 from which
 at Beech 24 in. dia. bears N 85° E 58 W. dist. 8
 on Elm 40 " " " N 83° W 17 " "
 Sand lent rich. Timber Sugar. Buckeye,
 Beech & angth. Gumwood. Spice &c.

North Between Secs. 29 & 30

16.67 a W. Oak 24 in. dia.
 26.45 a R. Oak 18 " "
 44.00 Set q. Sec. Post from which
 at Hickory 5 in. dia. bears S 50° E 3 W. dist. 8
 at B. Oak 36 " " " North 37 " "
 53.76 a Poplar 10 " "
 65.93 a W. Oak 12 " "
 80.00 Set Post on. to Sec. 19, 20, 29 & 30 from which
 at R. Oak 24 in. dia. bears S 11° W 41 W. dist. 8
 a W. Oak 18 " " " North 46 " "
 Sand level. Timber B & W. Oak. & Hickory
 angth. Ash. Elm. Spice & Maple.

East on Random between Secs. 20 & 29.

40.00 Set temp. q. Sec. Post
 80.17 Distance N. S. line 11 W. S. of Post
 Sand rich. Timber Ash. Walnut. Hackberry
 Buckeye &c angth. Buckeye & Spice.

West Corner between Secs. 20 & 29.

40.08½ Set q. Sec. Post at angle dist. from which
 a W. Oak 8 in. dia. bears N 84° E 38 W. dist. 8
 at Hickory 4 " " " N 66° W 7 " "
 80.17 To Sec. Corner.

West Between Secs. 19 & 30.

S. 19. N. R. 9 E. Twp. Mer. Indiana

38.87 at Hickory 10 in dia.

40.00 Set q. Sec. Post from which
an Elm 5 in dia. bears N 88 E 42 W. dir. &
at Beech 24 " " " N 83 W 36 " "

46.72 at Hickory 16 " "

49.45 at Branch 15 W. side Corn N. C.

63.35 at Beech 18 in dia.

80.33 at Branch 8 W. side Corn N.

84.04 Intersect N. Bound. line 56 W. S. of Post-
where set Post C. to Secs. 19 & 20 from which
a Sugar 20 in dia. bears N 82 E 17 W. dir. &
a W. Oak 24 " " " N 86 W 17 " "

Land low & thin. Timber Oak & Hickory -

North Section Secs. 19 & 20 -

16.00 at R. Oak 40 in dia.

32.06 a S. Ash 5 " "

40.00 Set q. Sec. Post from which
at Hickory 15 in dia. bears South 8 W. dir. &
at B. Ash 3 " " " N 77 W 6 " "

50.16 a B. Ash 15 " "

60.13 at Branch 8 W. side Corn N.

80.00 Set Post C. to Secs. 17, 18, 19 & 20 from which
at Beech 20 in dia. bears S 23 W 15 W. dir. &
an Ironwood 6 " " " N 32 E 23 " "

Land low & a little wet. Timber Hickory, Beech,
Ash & ung^l. Ironwood, Spruce &
June 8th 1821 -

East or Random Section Secs. 17 & 20 -

40.00 Set temp. q. Sec. Post.

80.00 Intersect N. S. line 10 W. S. of Post

Land low & thin Oak & Hickory. Open woods.

West Corner Section Secs. 17 & 20

40.00 Set q. Sec. Post at same dir. from which

July 19 N. R. G. E. D. No. Indiana.

an Ironwood 4 in. dia. bears N 86 E 11 W. dist. 8
 a Do 4 " " " 89 N 34 " "
 80.00 To Lee. Corner.

West Between Leech 18219 -

10.90 a Sugar 21 in. dia.
 38.73 an Elm 12 " "
 40.00 Set g. Lee. Post from which
 at R. Oak 9 in. dia. bears 87 6 E 11 W. dist. 8
 at Bash 12 " " " 86 N 58 " "
 52.79 a Beech 18 " "
 66.37 a Do 24 " "
 84.42 Entrance N Bound. line 106 W. S. of Post.
 when set Post cu. to Leech 18219 from which
 at Bur Oak 48 in. dia. bears N 73 E 40 W. dist. 8
 an ash 4 " " " 80 N 22 " "
 Sand low & wet. Timber Ash. Oak. Poplar. &c.

North Between Leech 17418 -

19.23 a N. Oak 60 in. dia.
 34.57 a Poplar 24 " "
 40.00 Set g. Lee. Post from which
 an Ironwood 4 in. dia. bears 45 E 57 W. dist. 8
 at Beech 30 " " " North 44 " "
 57.76 at Bur Oak 12 " "
 61.50 Enter a Swamp
 62.32 at B. Oak 15 in. dia.
 80.00 Set Post cu. to Leech 7.8.17418 from which
 at B. Oak 8 in. dia. bears 82 4 N 19 W. dist. 8
 a Maple 4 " " " N 33 E 9 " "
 Sand flat and wet.

East in Random between Leech 8217 -

3.50 Leave the Swamp
 19.25 Enter a Do
 22.00 Leave the Do

377

N. N. R. & E. 2nd Mer. Indiana.

22.30 at Branch 12 W. side Comm. M.V.
 40.00 Left temp. gr. Sec. Post.
 79.96 Entrance. Rd. line 15 W. S. of Post.
 Land as last described

West Corner between Secs. 8 & 17.
 39.98 Let gr. Sec. Post at average dir. from which
 a B. Ash 18 in. dia. bears S 52 E 14 W. dist. 8
 a Hickory 15 " " " N 40 W 11 " "
 79.96 To Sec. Corner.

West Bottom Secs. 7 & 18.
 4.00 Leave the Swamp.
 14.37 at Buck 12 in. dia.
 33.46 a Do 33 " "
 40.00 Let gr. Sec. Post from which
 a B. Ash 5 in. dia. bears N 32 E 17 W. dist. 9
 a S. Ash 6 " " " S 87 W 31 " "
 53.76 at Big Oak 24 " "
 67.36 a Sugar 8 " "
 84.00 Entrance N. Bound. line 106 W. S. of Post.
 where set Post C. to Sec. 7 & 18 from which
 a Buck 15 in. dia. bears N 84 E 24 W. dist. 8
 a W. Oak 24 " " " West 1 " "
 Land wit. Sycamore, Buck, Oak & Ash
 ring^{ed}. Ironwood, Ash &c.

North Bottom Secs. 7 & 8.
 9.50 Leave the Swamp.
 19.35 a Cherry 7 in. dia.
 24.50 Entrance Swamp.
 40.00 Let gr. Sec. Post from which
 an Elm 10 in. dia. bears N 77 E 40 W. dist. 8
 a Do " " " N 77 E 28 " "
 42.00 Leave the Swamp
 57.28 a W. Oak 18 in. dia.

S. 19 N. - R. 9 E. Twp. 12 N. Indian Co.

70.78 a W. Oak 12 in. dia.
 80.00 Set post on to Sec. 5, 6, 7 & 8 from which
 an Elm 18 in. dia. bears S 66 E 29 W. dir. &
 a W. Oak 24 " " " N 47 W " "
 Timberland 2nd rate, W. B. Oak & Dogwood &

East on Random between Sec. 5 & 8

19.25 Enter a Swamp Prairie
 27.82 a Branch 13 W. wide Corn. W.
 29.50 Leave the Swamp Prairie
 40.00 Set temp. gr. Sec. post.
 79.90 Enter a W. line 86 W. S. of post
 Sand 2nd rate. & level. Timber Oak & Hickory,
 Open woods.

West Corner between Sec. 5 & 8

39.95 Set gr. Sec. post at average dir. from which
 an Elm 12 in. dia. bears S 82 E 47 W. dir. &
 a Do 10 " " " S 82 W 39 " "
 79.90 To Sec. Corner.

West between Sec. 6 & 7 -

5.00 Enter Swamp Prairie
 11.50 Leave " "
 17.89 a Ben Oak 27 in. dia.
 25.94 a Do 14 " "
 40.00 Set gr. Sec. post from which
 a W. Oak 18 in. dia. bears S 83 E 22 W. dir. &
 a Hickory 10 " " " N 82 W 41 " "
 50.47 a Do 13 " "
 61.85 a B. Oak 24 " "
 83.03 Enter W. Bound. line 101 W. - of post
 when set post on to Sec. 6 & 7 from which
 a W. Oak 36 in. dia. bears S 66 E 46 W. dir. &
 a Do 24 " " " N 69 W 24 " "
 Land as last described -

379

S. 19 N. - R. 9 E. 2nd Mer. Indiana.

North Return Sect. 576

38.56 a W. Oak 36 in. dia.

40.00 Set gr. Sec. Post from which
a W. Oak 36 in. dia. bears S 44 E 50 th. dist.
an Elm 10 " " " N 83 W 15 " "

56.01 ash 10 " "

63.97 a W. Oak 12 " "

76.82 Intersect N. Bound. line 112 th. N. of post
where set post con. to Sect. 576 p. which
a W. Oak 13 in. dia. bears S 31 E 5 th. dist.
a Mulberry 10 " " " S 88 W 20 " "

Sand lent 2nd rate. Timber 73 a W. Oak

Open woods.

June 9th 1891 Surveyed by
David Willis D.S.

I certify that the foregoing transcript
of the Field Notes of Township 19 North,
in Range 9 East of the 2nd Meridian
in Indiana, has been compared with
the original in this Office, and found
to be correct.

Surveyor General's Office,
Cincinnati Dec. 6th 1892

William Shyston
Svr. Genl.